# NSN 5915-00-971-5778



## Band Pass Filter - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5915-00-971-5778 **Overall Height:** 4.000 inches **Body Length:** 1.750 inches **Body Width:** 1.750 inches **Body Height:** 3.500 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Length: 1.250 inches Vibration Resistance Range In Hertz: +10.0/+500.0 Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: 1.250 inches **Operating Tempurature Range:** -55.0/+85.0 degrees celsius **Reference Frequency Per Function:** 1.725 kilohertz blank Source Impedance Rating Per Function: 600.0 ohms blank Load Impedance Per Function: 500.0 kilohms blank **Principal Circuitry Type Per Function:** Inductance-capacitance blank Mounting Facility Screw Thread Series Designator: Unc **Inclosure Type:** Hermetically sealed Mounting Facility Type And Quantity: 4 threaded stud Insertion Loss At Reference Frequency Per Function In Decibels: 3.0 blank **Functional Terminal Type And Quantity:** 1 standard tube base input-output/ground **Specified Frequencies Of Discrimination Per Function:** 1.675 kilohertz blank and 1.70 kilohertz blank and 1.75 kilohertz blank and 1.775 kilohertz blank Thread Size: 0.138 inches **Body Material:** Metal

#### **Frequency Band Width Per Function:**

1.70 kilohertz blank and 1.75 kilohertz blank

# NSN 5915-00-971-5778

Band Pass Filter - Page 2 of 2



### Discrimination At Specificationified Frequencies Per Function In Decibels:

3.0 blank and 30.0 blank

#### Style Designator:

Rectangular terminal/terminals on one surface

Shelf Life:

N/a

### Unit Of Measure:

---

### Demilitarization:

No

Fiig:

A047b0