NSN 5915-00-971-5779

Band Pass Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-00-971-5779 **Overall Height:** 4.000 inches **Body Length:** 1.750 inches **Body Width:** 1.750 inches **Body Height:** 3.500 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Length: 1.250 inches **Vibration Resistance Range In Hertz:** +10.0/+500.0 Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: 1.250 inches **Operating Tempurature Range:** -55.0/+85.0 degrees celsius **Reference Frequency Per Function:** 1.775 kilohertz blank **Source Impedance Rating Per Function:** 600.0 ohms blank **Load Impedance Per Function:** 500.0 kilohms blank **Principal Circuitry Type Per Function:** Inductance-capacitance blank **Mounting Facility Screw Thread Series Designator:** Unc **Inclosure Type:** Hermetically sealed **Mounting Facility Type And Quantity:** 4 threaded stud Insertion Loss At Reference Frequency Per Function In Decibels: **Functional Terminal Type And Quantity:** 1 standard tube base input-output/ground **Specified Frequencies Of Discrimination Per Function:** 1.725 kilohertz blank and 1.75 kilohertz blank and 1.80 kilohertz blank and 1.825 kilohertz blank **Thread Size:** 0.138 inches **Body Material:** Metal

Frequency Band Width Per Function:

1.75 kilohertz blank and 1.80 kilohertz blank

NSN 5915-00-971-5779

Band Pass Filter - Page 2 of 2



Discrimination At S	pecificationified Fred	quencies Per F	Function In Decibels:
---------------------	------------------------	----------------	-----------------------

3.0 blank and 30.0 blank

Style Designator:

Rectangular terminal/terminals on one surface

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A047b0