NSN 5915-00-971-5783

Band Pass Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-00-971-5783

Overall Height:
4.000 inches
Body Length:
1.750 inches
Body Width:
1.750 inches
Body Height:
3.500 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:
1.250 inches
Vibration Resistance Range In Hertz:
+10.0/+500.0
Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:
1.250 inches
Operating Tempurature Range:
-55.0/+85.0 degrees celsius
Reference Frequency Per Function:
1.975 kilohertz blank
Source Impedance Rating Per Function:
600.0 ohms blank
Load Impedance Per Function:
500.0 kilohms blank
Principal Circuitry Type Per Function:
Inductance-capacitance blank
Mounting Facility Screw Thread Series Designator:
Unc
Inclosure Type:
Hermetically sealed
Mounting Facility Type And Quantity:
4 threaded hole
Insertion Loss At Reference Frequency Per Function In Decibels:
3.0 blank
Functional Terminal Type And Quantity:
1 standard tube base input-output/ground
Specified Frequencies Of Discrimination Per Function:
1.925 kilohertz blank and 1.95 kilohertz blank and 2.00 megahertz blank and 2.025 megahertz blank
Thread Size:
0.138 inches
Body Material:
Metal
Frequency Band Width Per Function:

requestey Basia Width Fer Fasionon.

1.95 kilohertz blank and 2.00 megahertz blank

NSN 5915-00-971-5783

Band Pass Filter - Page 2 of 2



Discrimination At S	pecificationified	Frequencies Per	Function In Decibels:
---------------------	-------------------	-----------------	-----------------------

3.0 blank and 30.0 blank

Style Designator:

Rectangular terminal/terminals on one surface

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A047b0