NSN 5915-00-983-8902

Band Pass Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-00-983-8902

| Overall Height: |
|---|
| 2.875 inches |
| Body Length: |
| 4.750 inches |
| Body Width: |
| 2.562 inches |
| Body Height: |
| 2.500 inches |
| Distance Between Centerlines Of Mounting Facilities Parallel To Body Length: |
| 3.750 inches |
| Operating Tempurature Range: |
| -20.0/+60.0 degrees celsius |
| Reference Frequency Per Function: |
| 432.0 kilohertz blank |
| Source Impedance Rating Per Function: |
| 75.0 ohms blank |
| Load Impedance Per Function: |
| 75.0 ohms blank |
| Principal Circuitry Type Per Function: |
| Inductance-capacitance-resistance blank |
| Mounting Facility Screw Thread Series Designator: |
| Unc |
| Inclosure Type: |
| Encased |
| Mounting Facility Type And Quantity: |
| 2 threaded stud |
| Insertion Loss At Reference Frequency Per Function In Decibels: |
| 0.2 blank |
| Functional Terminal Type And Quantity: |
| 2 pin output 2nd function |
| Specified Frequencies Of Discrimination Per Function: |
| 100.00 kilohertz blank and 312.00 kilohertz blank and 552.00 kilohertz blank and 1.00 megahertz blank |
| Thread Size: |
| 0.164 inches |
| Frequency Band Width Per Function: |
| 312.00 kilohertz blank and 552.00 kilohertz blank |
| Discrimination At Specificationified Frequencies Per Function In Decibels: |
| 35.0 blank and 0.3 blank and 35.0 blank |
| Style Designator: |
| Rectangular terminal/terminals on one surface |
| Shalf Life: |

N/a

NSN 5915-00-983-8902

Band Pass Filter - Page 2 of 2



| | Of | | | |
|--|----|--|--|--|

--

Demilitarization:

No

Fiig:

A047b0