NSN 5915-00-984-5665

Low Pass Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-00-984-5665

Overall Length:

- 2.280 inches
- **Overall Height:**
- 1.500 inches

Overall Width:

- 2.656 inches
- **Body Length:**
- 2.280 inches

Body Width:

2.000 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

1.688 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

1.438 inches

Operating Tempurature Range:

+0.0/+65.0 degrees celsius

Average Life Rating In Hours:

10000.0

Reference Frequency Per Function:

100.0 kilohertz blank

Input Impedance Per Function W/load:

50.0 ohms blank

Output Impedance Per Function W/source Across Input:

50.0 ohms blank

Input Terminal Manufacturer Code:

94375

Input Terminal Identification:

Rf0730

Output Terminal Manufacturer Code:

94375

Output Terminal Identification:

Rf0730

Inclosure Type:

Hermetically sealed

Mounting Facility Type And Quantity:

4 unthreaded hole

Insertion Loss At Reference Frequency Per Function In Decibels:

3.0 blank

Functional Terminal Type And Quantity:

1 connector, receptacle output 2nd function

Specified Frequencies Of Discrimination Per Function:

10.00 kilohertz blank and 600.00 kilohertz blank and 5.00 megahertz blank and 54.00 megahertz blank

NSN 5915-00-984-5665

Low Pass Filter - Page 2 of 2



Body Material:

Metal

Frequency Band Width Per Function: 10.00 kilohertz blank and 600.00 kilohertz blank

Discrimination At Specificationified Frequencies Per Function In Decibels:

1.0 blank and 1.0 blank and 30.0 blank and 60.0 blank

Maximum Dielectric Withstanding Dc Voltage:

200.0 volts at sea level

Special Features:

Terminals on one surface

Style Designator:

Rectangular terminal/terminals on opposite surfaces

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A047b0