

View Online at <https://aerobasegroup.com/nsn/5915-00-988-4814>

**Overall Length:**

3.188 inches

**Body Length:**

3.188 inches

**Body Width:**

0.812 inches

**Body Height:**

1.012 inches

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:**

2.000 inches

**Vibration Resistance Range In Hertz:**

+10.0/+55.0

**Operating Temperature Range:**

-55.0/+125.0 degrees celsius

**Reference Frequency Per Function:**

500.0 hertz blank

**Source Impedance Rating Per Function:**

5.6 kilohms blank

**Load Impedance Per Function:**

100.0 kilohms blank

**Input Impedance Per Function W/load:**

5.6 kilohms blank

**Output Impedance Per Function W/source Across Input:**

100.0 kilohms blank

**Input Terminal Manufacturer Code:**

13499

**Input Terminal Identification:**

Ug187/u

**Output Terminal Manufacturer Code:**

13499

**Output Terminal Identification:**

Ug187/u

**Mounting Facility Screw Thread Series Designator:**

Unc

**Inclosure Type:**

Encased

**Mounting Facility Type And Quantity:**

1 threaded hole

**Insertion Loss At Reference Frequency Per Function In Decibels:**

6.0 blank

**Functional Terminal Type And Quantity:**

1 connector, receptacle output 2nd function

**Specified Frequencies Of Discrimination Per Function:**

425.00 hertz blank and 498.00 hertz blank and 502.00 hertz blank and 575.00 hertz blank

**Thread Size:**

0.112 inches

**Frequency Band Width Per Function:**

498.00 hertz blank and 502.00 hertz blank

**Discrimination At Specificationified Frequencies Per Function In Decibels:**

60.0 blank and 6.0 blank and 6.0 blank and 60.0 blank

**Style Designator:**

Rectangular terminal/terminals on two surfaces

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A047b0