NSN 5915-00-988-4816

Band Pass Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-00-988-4816

Overall Height:
6.500 inches
Body Length:
1.750 inches
Body Width:
1.500 inches
Body Height:
6.000 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:
1.250 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:
1.000 inches
Operating Tempurature Range:
-29.0/+52.0 degrees celsius
Reference Frequency Per Function:
44.0 kilohertz blank
Input Impedance Per Function W/load:
600.0 ohms blank
Output Impedance Per Function W/source Across Input:
600.0 ohms blank
Mounting Facility Screw Thread Series Designator:
Unc
Inclosure Type:
Hermetically sealed
Mounting Facility Type And Quantity:
4 threaded stud
Insertion Loss At Reference Frequency Per Function In Decibels:
5.0 blank
Functional Terminal Type And Quantity:
2 pin output 2nd function
Specified Frequencies Of Discrimination Per Function:
34.00 kilohertz blank and 40.50 kilohertz blank and 47.50 kilohertz blank and 54.00 kilohertz blank
Thread Size:
0.138 inches
Body Material:
Metal
Frequency Band Width Per Function:
40.50 kilohertz blank and 47.50 kilohertz blank
Discrimination At Specificationified Frequencies Per Function In Decibels:
60.0 blank and 3.0 blank and 60.0 blank

Style Designator:

Rectangular terminal/terminals on one surface

NSN 5915-00-988-4816

Band Pass Filter - Page 2 of 2



_					
c	hο	JIF.		.ife:	
J			_	.II C.	

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A047b0