# NSN 5915-00-994-7012

Band Pass Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-00-994-7012

# **Overall Height:**

Between 2.954 inches and 3.040 inches

# Body Length:

Between 2.297 inches and 2.327 inches

# Body Width:

Between 1.610 inches and 1.640 inches

#### **Body Height:**

Between 2.610 inches and 2.640 inches

### Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

Between 1.735 inches and 1.765 inches

## Vibration Resistance Range In Hertz:

### +10.0/+2000.0

## Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

Between 1.110 inches and 1.140 inches

### **Operating Tempurature Range:**

## -55.0/+85.0 degrees celsius

### Average Life Rating In Hours:

2000.0

### **Reference Frequency Per Function:**

775.0 hertz blank

### Input Impedance Per Function W/load:

600.0 ohms blank

### **Output Impedance Per Function W/source Across Input:**

8.0 kilohms blank

### Principal Circuitry Type Per Function:

Inductance-capacitance blank

## Mounting Facility Screw Thread Series Designator:

Unc

### Inclosure Type:

Encased

### Mounting Facility Type And Quantity:

1 threaded stud

### Insertion Loss At Reference Frequency Per Function In Decibels:

8.0 blank

## Functional Terminal Type And Quantity:

1 turret output 2nd function

### Maximum Dielectric Withstanding Ac Rms Voltage:

500.0 volts at sea level

### Specified Frequencies Of Discrimination Per Function:

300.00 hertz blank and 400.00 hertz blank and 425.00 hertz blank

### Thread Size:

0.138 inches

# NSN 5915-00-994-7012

Band Pass Filter - Page 2 of 2



**Frequency Band Width Per Function:** 

400.00 hertz blank and 425.00 hertz blank

#### Discrimination At Specificationified Frequencies Per Function In Decibels:

40.0 blank and 1.0 blank and 1.0 blank and 40.0 blank

#### Style Designator:

Rectangular terminal/terminals on one surface

#### Test Data Document:

81349-mil-f-18327 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

#### **Specification Data:**

81349-mil-f-18327/15 government specification

Shelf Life: N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A047b0