

View Online at <https://aerobasegroup.com/nsn/5915-00-997-8347>

Overall Height:

1.450 inches

Body Length:

4.250 inches

Body Width:

0.900 inches

Body Height:

1.250 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

2.350 inches

Vibration Resistance Range In Hertz:

+10.0/+2000.0

Operating Temperature Range:

-40.0/+71.0 degrees celsius

Average Life Rating In Hours:

10000.0

Reference Frequency Per Function:

76.0 kilohertz blank

Source Impedance Rating Per Function:

20.0 ohms blank

Load Impedance Per Function:

18.0 ohms blank

Principal Circuitry Type Per Function:

Crystal blank

Mounting Facility Screw Thread Series Designator:

Unc

Inclosure Type:

Hermetically sealed

Mounting Facility Type And Quantity:

2 threaded hole

Features Provided:

Moisture resistant and shock resistant

Insertion Loss At Reference Frequency Per Function In Decibels:

6.0 blank

Functional Terminal Type And Quantity:

2 pin ground 3rd function

Specified Frequencies Of Discrimination Per Function:

72.00 kilohertz blank and 75.90 kilohertz blank and 76.10 kilohertz blank and 80.00 kilohertz blank

Thread Size:

0.112 inches

Body Material:

Metal

Frequency Band Width Per Function:

75.90 kilohertz blank and 76.10 kilohertz blank

Discrimination At Specificationified Frequencies Per Function In Decibels:

3.0 blank and 70.0 blank

Style Designator:

Rectangular terminal/terminals on one surface

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A047b0