

View Online at <https://aerobasegroup.com/nsn/5915-00-999-4453>

**Overall Height:**

0.980 inches

**Body Length:**

3.750 inches

**Body Width:**

1.750 inches

**Body Height:**

0.790 inches

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:**

3.376 inches

**Operating Temperature Range:**

-40.0/+71.0 degrees celsius

**Average Life Rating In Hours:**

10000.0

**Reference Frequency Per Function:**

765.0 hertz blank

**Source Impedance Rating Per Function:**

600.0 ohms blank

**Load Impedance Per Function:**

600.0 ohms blank

**Input Impedance Per Function W/load:**

600.0 ohms blank

**Output Impedance Per Function W/source Across Input:**

600.0 ohms blank

**Mounting Facility Screw Thread Series Designator:**

Unc

**Inclosure Type:**

Hermetically sealed

**Mounting Facility Type And Quantity:**

2 threaded hole

**Insertion Loss At Reference Frequency Per Function In Decibels:**

9.0 blank

**Functional Terminal Type And Quantity:**

1 pin output 2nd function

**Specified Frequencies Of Discrimination Per Function:**

595.00 hertz blank and 722.00 hertz blank and 808.00 hertz blank and 935.00 hertz blank

**Thread Size:**

0.112 inches

**Frequency Band Width Per Function:**

722.00 hertz blank and 808.00 hertz blank

**Discrimination At Specificationified Frequencies Per Function In Decibels:**

34.0 blank and 5.0 blank and 5.0 blank and 34.0 blank

**Style Designator:**

Rectangular terminal/terminals on one surface

**Test Data Document:**

00724-08-00343-003 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fiig:**

A047b0