NSN 5915-00-999-4459

Band Pass Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-00-999-4459

| Overall Height: |
|---|
| 0.980 inches |
| Body Length: |
| 3.750 inches |
| Body Width: |
| 1.750 inches |
| Body Height: |
| 0.790 inches |
| Distance Between Centerlines Of Mounting Facilities Parallel To Body Length: |
| 3.376 inches |
| Operating Tempurature Range: |
| -40.0/+71.0 degrees celsius |
| Average Life Rating In Hours: |
| 10000.0 |
| Reference Frequency Per Function: |
| 1.785 kilohertz blank |
| Source Impedance Rating Per Function: |
| 600.0 ohms blank |
| Load Impedance Per Function: |
| 600.0 ohms blank |
| Input Impedance Per Function W/load: |
| 600.0 ohms blank |
| Output Impedance Per Function W/source Across Input: |
| 600.0 ohms blank |
| Mounting Facility Screw Thread Series Designator: |
| Unc |
| Inclosure Type: |
| Hermetically sealed |
| Mounting Facility Type And Quantity: |
| 2 threaded hole |
| Insertion Loss At Reference Frequency Per Function In Decibels: |
| 9.0 blank |
| Functional Terminal Type And Quantity: |
| 1 pin output 2nd function |
| Specified Frequencies Of Discrimination Per Function: |
| 1.615 kilohertz blank and 1.742 kilohertz blank and 1.828 kilohertz blank and 1.955 kilohertz blank |
| Thread Size: |
| 0.112 inches |
| Frequency Band Width Per Function: |
| 1.742 kilohertz blank and 1.828 kilohertz blank |

34.0 blank and 5.0 blank and 5.0 blank and 34.0 blank

Discrimination At Specificationified Frequencies Per Function In Decibels:

NSN 5915-00-999-4459

Band Pass Filter - Page 2 of 2



| Style | Desia | nator: |
|-------|-------|--------|
| | | |

Rectangular terminal/terminals on one surface

Test Data Document:

00724-08-00343-009 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A047b0