

View Online at <https://aerobasegroup.com/nsn/5915-00-999-4466>

Overall Height:

0.980 inches

Body Length:

3.750 inches

Body Width:

1.750 inches

Body Height:

0.790 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

3.376 inches

Operating Temperature Range:

-40.0/+71.0 degrees celsius

Average Life Rating In Hours:

10000.0

Reference Frequency Per Function:

2.975 kilohertz blank

Source Impedance Rating Per Function:

600.0 ohms blank

Load Impedance Per Function:

600.0 ohms blank

Input Impedance Per Function W/load:

600.0 ohms blank

Output Impedance Per Function W/source Across Input:

600.0 ohms blank

Mounting Facility Screw Thread Series Designator:

Unc

Inclosure Type:

Hermetically sealed

Mounting Facility Type And Quantity:

2 threaded hole

Insertion Loss At Reference Frequency Per Function In Decibels:

9.0 blank

Functional Terminal Type And Quantity:

1 pin output 2nd function

Specified Frequencies Of Discrimination Per Function:

2.805 kilohertz blank and 2.932 kilohertz blank and 3.018 kilohertz blank and 3.145 kilohertz blank

Thread Size:

0.112 inches

Body Material:

Metal

Frequency Band Width Per Function:

2.932 kilohertz blank and 3.018 kilohertz blank

Discrimination At Specificationified Frequencies Per Function In Decibels:

34.0 blank and 5.0 blank and 5.0 blank and 34.0 blank

Style Designator:

Rectangular terminal/terminals on one surface

Test Data Document:

00724-08-00343-016 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A047b0