Radio Frequency Interference Filter - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5915-01-004-1641

Overall Length: 0.400 inches Body Length: 0.200 inches Power Line Frequency Rating Per Function In Hertz: 400.0 blank Operating Current Rating Per Function In Amps: 15.0 blank Mounting Facility Screw Thread Series Designator: Unc Inclosure Type: Encased Width Across Flats: 0.188 inches Mounting Facility Type And Quantity: 1 threaded bushing Functional Terminal Type And Quantity: 2 wire lead input-output Operating Voltage Rating And Type Per Function: 85.0 volts ac blank and 125.0 volts dc blank Thread Size: 0.164 inches Style Designator: Round terminal/terminals on opposite surfaces Shelf Life: N/a Unit Of Measure:	
Body Length:0.200 inchesPower Line Frequency Rating Per Function In Hertz:400.0 blankOperating Current Rating Per Function In Amps:15.0 blankMounting Facility Screw Thread Series Designator:UncInclosure Type:EncasedWidth Across Flats:0.188 inchesMounting Facility Type And Quantity:1 threaded bushingFunctional Terminal Type And Quantity:2 wire lead input-outputOperating Voltage Rating And Type Per Function:85.0 volts ac blank and 125.0 volts dc blankThread Size:0.164 inchesStyle Designator:Round terminal/terminals on opposite surfacesShelf Life:N/a	Overall Length:
0.200 inches Power Line Frequency Rating Per Function In Hertz: 400.0 blank Operating Current Rating Per Function In Amps: 15.0 blank Mounting Facility Screw Thread Series Designator: Unc Inclosure Type: Encased Width Across Flats: 0.188 inches Mounting Facility Type And Quantity: 1 threaded bushing Functional Terminal Type And Quantity: 2 wire lead input-output Operating Voltage Rating And Type Per Function: 85.0 volts ac blank and 125.0 volts dc blank Thread Size: 0.164 inches Style Designator: Round terminal/terminals on opposite surfaces Shelf Life: N/a	0.400 inches
Power Line Frequency Rating Per Function In Hertz:400.0 blankOperating Current Rating Per Function In Amps:15.0 blankMounting Facility Screw Thread Series Designator:UncInclosure Type:EncasedWidth Across Flats:0.188 inchesMounting Facility Type And Quantity:1 threaded bushingFunctional Terminal Type And Quantity:2 wire lead input-outputOperating Voltage Rating And Type Per Function:85.0 volts ac blank and 125.0 volts dc blankThread Size:0.164 inchesStyle Designator:Round terminal/terminals on opposite surfacesShelf Life:N/a	Body Length:
400.0 blank Operating Current Rating Per Function In Amps: 15.0 blank Mounting Facility Screw Thread Series Designator: Unc Inclosure Type: Encased Width Across Flats: 0.188 inches Mounting Facility Type And Quantity: 1 threaded bushing Functional Terminal Type And Quantity: 2 wire lead input-output Operating Voltage Rating And Type Per Function: 85.0 volts ac blank and 125.0 volts dc blank Thread Size: 0.164 inches Style Designator: Round terminal/terminals on opposite surfaces Shelf Life: N/a	0.200 inches
Operating Current Rating Per Function In Amps:15.0 blankMounting Facility Screw Thread Series Designator:UncInclosure Type:EncasedWidth Across Flats:0.188 inchesMounting Facility Type And Quantity:1 threaded bushingFunctional Terminal Type And Quantity:2 wire lead input-outputOperating Voltage Rating And Type Per Function:85.0 volts ac blank and 125.0 volts dc blankThread Size:0.164 inchesStyle Designator:Round terminal/terminals on opposite surfacesShelf Life:N/a	Power Line Frequency Rating Per Function In Hertz:
15.0 blank Mounting Facility Screw Thread Series Designator: Unc Inclosure Type: Encased Width Across Flats: 0.188 inches Mounting Facility Type And Quantity: 1 threaded bushing Functional Terminal Type And Quantity: 2 wire lead input-output Operating Voltage Rating And Type Per Function: 85.0 volts ac blank and 125.0 volts dc blank Thread Size: 0.164 inches Style Designator: Round terminal/terminals on opposite surfaces Shelf Life: N/a	400.0 blank
Mounting Facility Screw Thread Series Designator: Unc Inclosure Type: Encased Width Across Flats: 0.188 inches Mounting Facility Type And Quantity: 1 threaded bushing Functional Terminal Type And Quantity: 2 wire lead input-output Operating Voltage Rating And Type Per Function: 85.0 volts ac blank and 125.0 volts dc blank Thread Size: 0.164 inches Style Designator: Round terminal/terminals on opposite surfaces Shelf Life: N/a	Operating Current Rating Per Function In Amps:
Unc Inclosure Type: Encased Width Across Flats: 0.188 inches Mounting Facility Type And Quantity: 1 threaded bushing Functional Terminal Type And Quantity: 2 wire lead input-output Operating Voltage Rating And Type Per Function: 85.0 volts ac blank and 125.0 volts dc blank Thread Size: 0.164 inches Style Designator: Round terminal/terminals on opposite surfaces Shelf Life: N/a	15.0 blank
Inclosure Type: Encased Width Across Flats: 0.188 inches Mounting Facility Type And Quantity: 1 threaded bushing Functional Terminal Type And Quantity: 2 wire lead input-output Operating Voltage Rating And Type Per Function: 85.0 volts ac blank and 125.0 volts dc blank Thread Size: 0.164 inches Style Designator: Round terminal/terminals on opposite surfaces Shelf Life: N/a	Mounting Facility Screw Thread Series Designator:
Encased Width Across Flats: 0.188 inches Mounting Facility Type And Quantity: 1 threaded bushing Functional Terminal Type And Quantity: 2 wire lead input-output Operating Voltage Rating And Type Per Function: 85.0 volts ac blank and 125.0 volts dc blank Thread Size: 0.164 inches Style Designator: Round terminal/terminals on opposite surfaces Shelf Life: N/a	Unc
 Width Across Flats: 0.188 inches Mounting Facility Type And Quantity: 1 threaded bushing Functional Terminal Type And Quantity: 2 wire lead input-output Operating Voltage Rating And Type Per Function: 85.0 volts ac blank and 125.0 volts dc blank Thread Size: 0.164 inches Style Designator: Round terminal/terminals on opposite surfaces Shelf Life: N/a 	Inclosure Type:
0.188 inches Mounting Facility Type And Quantity: 1 threaded bushing Functional Terminal Type And Quantity: 2 wire lead input-output Operating Voltage Rating And Type Per Function: 85.0 volts ac blank and 125.0 volts dc blank Thread Size: 0.164 inches Style Designator: Round terminal/terminals on opposite surfaces Shelf Life: N/a	Encased
Mounting Facility Type And Quantity: 1 threaded bushing Functional Terminal Type And Quantity: 2 wire lead input-output Operating Voltage Rating And Type Per Function: 85.0 volts ac blank and 125.0 volts dc blank Thread Size: 0.164 inches Style Designator: Round terminal/terminals on opposite surfaces Shelf Life: N/a	Width Across Flats:
1 threaded bushing Functional Terminal Type And Quantity: 2 wire lead input-output Operating Voltage Rating And Type Per Function: 85.0 volts ac blank and 125.0 volts dc blank Thread Size: 0.164 inches Style Designator: Round terminal/terminals on opposite surfaces Shelf Life: N/a	0.188 inches
Functional Terminal Type And Quantity: 2 wire lead input-output Operating Voltage Rating And Type Per Function: 85.0 volts ac blank and 125.0 volts dc blank Thread Size: 0.164 inches Style Designator: Round terminal/terminals on opposite surfaces Shelf Life: N/a	Mounting Facility Type And Quantity:
2 wire lead input-output Operating Voltage Rating And Type Per Function: 85.0 volts ac blank and 125.0 volts dc blank Thread Size: 0.164 inches Style Designator: Round terminal/terminals on opposite surfaces Shelf Life: N/a	1 threaded bushing
Operating Voltage Rating And Type Per Function: 85.0 volts ac blank and 125.0 volts dc blank Thread Size: 0.164 inches Style Designator: Round terminal/terminals on opposite surfaces Shelf Life: N/a	Functional Terminal Type And Quantity:
85.0 volts ac blank and 125.0 volts dc blank Thread Size: 0.164 inches Style Designator: Round terminal/terminals on opposite surfaces Shelf Life: N/a	2 wire lead input-output
Thread Size: 0.164 inches Style Designator: Round terminal/terminals on opposite surfaces Shelf Life: N/a	Operating Voltage Rating And Type Per Function:
0.164 inches Style Designator: Round terminal/terminals on opposite surfaces Shelf Life: N/a	85.0 volts ac blank and 125.0 volts dc blank
Style Designator: Round terminal/terminals on opposite surfaces Shelf Life: N/a	Thread Size:
Round terminal/terminals on opposite surfaces Shelf Life: N/a	0.164 inches
Shelf Life: N/a	Style Designator:
N/a	Round terminal/terminals on opposite surfaces
	Shelf Life:
Unit Of Measure:	N/a
	Unit Of Measure:
Demilitarization:	Demilitarization:
Yes - demil/mli	Yes - demil/mli
Fiig:	Fiig:
A047b0	A047b0