

View Online at <https://aerobasegroup.com/nsn/5915-01-008-0230>

**Overall Height:**

1.000 inches

**Body Length:**

3.000 inches

**Body Width:**

0.750 inches

**Body Height:**

0.750 inches

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:**

1.500 inches

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:**

0.375 inches

**End Application:**

R-1884/glq rcvr

**Reference Frequency Per Function:**

18.5 megahertz blank

**Source Impedance Rating Per Function:**

50.0 ohms blank

**Load Impedance Per Function:**

50.0 ohms blank

**Voltage Standing Wave Ratio Per Function:**

1.8 blank

**Mounting Facility Screw Thread Series Designator:**

Unc

**Inclosure Type:**

Hermetically sealed

**Mounting Facility Type And Quantity:**

2 threaded stud

**Insertion Loss At Reference Frequency Per Function In Decibels:**

4.0 blank

**Functional Terminal Type And Quantity:**

2 pin ground and 1 pin input and 1 pin output

**Specified Frequencies Of Discrimination Per Function:**

16.40 megahertz blank and 20.60 megahertz blank

**Thread Size:**

0.112 inches

**Frequency Band Width Per Function:**

17.00 megahertz blank and 20.00 megahertz blank

**Discrimination At Specificationified Frequencies Per Function In Decibels:**

6.0 blank and 1.5 blank

**Voltage Standing Wave Ratio Frequency Limits Per Function:**

17.0 megahertz blank and 20.0 megahertz blank

**Style Designator:**

Rectangular terminal/terminals on one surface

**Test Data Document:**

81349-mil-f-18327c specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A047b0