

View Online at <https://aerobasegroup.com/nsn/5915-01-009-6397>

**Overall Length:**

3.000 inches

**Overall Height:**

1.625 inches

**Overall Width:**

2.412 inches

**Body Length:**

3.000 inches

**Body Width:**

2.250 inches

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:**

2.375 inches

**Vibration Resistance Range In Hertz:**

+10.0/+2000.0

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:**

1.625 inches

**Operating Temperature Range:**

-55.0/+125.0 degrees celsius

**Average Life Rating In Hours:**

5000.0

**Source Impedance Rating Per Function:**

50.0 ohms 2nd radio interference

**Load Impedance Per Function:**

50.0 ohms 2nd radio interference

**Power Line Frequency Rating Per Function In Hertz:**

400.0 2nd radio interference

**Operating Current Rating Per Function In Amps:**

1.0 2nd radio interference

**Maximum Voltage Drop Per Function:**

1.25 volts ac 2nd radio interference

**Principal Circuitry Type Per Function:**

Inductance-capacitance-resistance 2nd radio interference

**Maximum Temperature Rise:**

25.0 degrees celsius

**Mounting Facility Screw Thread Series Designator:**

Unc

**Inclosure Type:**

Hermetically sealed

**Mounting Facility Type And Quantity:**

4 threaded stud

**Functional Terminal Type And Quantity:**

2 tab, solder lug output 2nd function

**Operating Voltage Rating And Type Per Function:**

125.0 volts ac 1st radio interference 1st function

**Thread Size:**

0.138 inches

**Maximum Dielectric Withstanding Dc Voltage:**

500.0 volts at sea level

**Unpackaged Unit Weight:**

9.000 ounces

**Style Designator:**

Rectangular terminal/terminals on adjacent surfaces

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A047b0