

View Online at <https://aerobasegroup.com/nsn/5915-01-014-0336>

**Overall Height:**

1.250 inches

**Body Length:**

3.750 inches

**Body Width:**

1.000 inches

**Body Height:**

0.978 inches

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:**

3.350 inches

**Vibration Resistance Range In Hertz:**

+10.0/+55.0

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:**

0.600 inches

**Operating Temperature Range:**

-35.0/+80.0 degrees celsius

**Reference Frequency Per Function:**

200.0 hertz blank

**Source Impedance Rating Per Function:**

1.0 kilohms blank

**Load Impedance Per Function:**

10.0 kilohms blank

**Principal Circuitry Type Per Function:**

Inductance-capacitance blank

**Mounting Facility Screw Thread Series Designator:**

Unc

**Inclosure Type:**

Hermetically sealed

**Mounting Facility Type And Quantity:**

4 threaded hole

**Insertion Loss At Reference Frequency Per Function In Decibels:**

1.5 blank

**Functional Terminal Type And Quantity:**

2 pin ground 3rd function

**Specified Frequencies Of Discrimination Per Function:**

1.00 hertz blank and 400.00 hertz blank and 2.40 kilohertz blank and 125.00 kilohertz blank

**Thread Size:**

0.112 inches

**Body Material:**

Metal

**Frequency Band Width Per Function:**

1.00 hertz blank and 400.00 hertz blank

**Discrimination At Specificationified Frequencies Per Function In Decibels:**

1.5 blank and 1.5 blank and 105.0 blank and 105.0 blank

**Body Surface Treatment:**

Tin

**Style Designator:**

Rectangular terminal/terminals on one surface

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A047b0