## NSN 5915-01-014-4837

Band Pass Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-01-014-4837

## **Overall Height:**

0.925 inches

#### **Body Length:**

2.530 inches

### Body Width:

0.560 inches

#### **Body Height:**

#### 0.590 inches

#### Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

1.500 inches

#### Vibration Resistance Range In Hertz:

+10.0/+500.0

#### **Operating Tempurature Range:**

+0.0/+60.0 degrees celsius

#### **Reference Frequency Per Function:**

448.2 kilohertz blank

#### Source Impedance Rating Per Function:

20.0 kilohms blank

#### Load Impedance Per Function:

20.0 kilohms blank

### Mounting Facility Screw Thread Series Designator:

Unc

#### Inclosure Type:

Encased

#### Mounting Facility Type And Quantity:

2 threaded stud

#### Insertion Loss At Reference Frequency Per Function In Decibels:

4.0 blank

#### Functional Terminal Type And Quantity:

1 pin output 2nd function

#### **Specified Frequencies Of Discrimination Per Function:**

445.80 kilohertz blank and 446.95 kilohertz blank and 449.65 kilohertz blank and 450.50 kilohertz blank

#### **Thread Size:**

0.112 inches

#### **Body Material:**

Plastic

#### Frequency Band Width Per Function:

446.95 kilohertz blank and 449.65 kilohertz blank

#### Discrimination At Specificationified Frequencies Per Function In Decibels:

 $60.0\,$  blank and  $3.0\,$  blank and  $3.0\,$  blank and  $60.0\,$  blank

#### Style Designator:

Rectangular terminal/terminals on one surface

# NSN 5915-01-014-4837

Band Pass Filter - Page 2 of 2

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A047b0

