

View Online at <https://aerobasegroup.com/nsn/5915-01-014-6219>

**Overall Height:**

Between 4.250 inches and 4.350 inches

**Body Length:**

4.000 inches

**Body Width:**

2.000 inches

**Body Height:**

2.000 inches

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:**

Between 1.492 inches and 1.508 inches

**Operating Temperature Range:**

-55.0/+85.0 degrees celsius

**Reference Frequency Per Function:**

6.31835 kilohertz single band pass

**Source Impedance Rating Per Function:**

10.0 kilohms blank

**Load Impedance Per Function:**

10.0 kilohms blank

**Principal Circuitry Type Per Function:**

Inductance-capacitance blank

**Mounting Facility Screw Thread Series Designator:**

Unc

**Inclosure Type:**

Hermetically sealed

**Mounting Facility Type And Quantity:**

4 threaded stud

**Insertion Loss At Reference Frequency Per Function In Decibels:**

5.0 single band pass

**Functional Terminal Type And Quantity:**

1 tab, solder lug input 2nd function

**Specified Frequencies Of Discrimination Per Function:**

5.8303 kilohertz blank and 6.24 kilohertz blank and 6.3967 kilohertz blank and 6.4033 kilohertz blank

**Thread Size:**

0.111 inches

**Body Material:**

Metal

**Frequency Band Width Per Function:**

6.240 kilohertz single band pass and 6.3967 kilohertz single band pass

**Discrimination At Specificationified Frequencies Per Function In Decibels:**

3.0 blank and 50.0 blank

**Unpackaged Unit Weight:**

8.000 ounces

**Style Designator:**

Rectangular terminal/terminals on one surface

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A047b0