## NSN 5915-01-016-8345

Low Pass Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-01-016-8345

Overall Length:

2.438 inches

**Body Outside Diameter:** 

0.438 inches

**Reference Frequency Per Function:** 

6.2 gigahertz blank

**Source Impedance Rating Per Function:** 

50.0 ohms blank

**Load Impedance Per Function:** 

50.0 ohms blank

**Principal Circuitry Type Per Function:** 

Electromechanical blank

**Input Terminal Manufacturer Code:** 

12598

Input Terminal Identification:

R-female

**Output Terminal Manufacturer Code:** 

12598

**Output Terminal Identification:** 

R-male

**Voltage Standing Wave Ratio Per Function:** 

1.35 blank

**Average Power Rating Per Function:** 

100.0 watts blank

**Inclosure Type:** 

Encased

**Mounting Facility Type And Quantity:** 

1 clamp

Insertion Loss At Reference Frequency Per Function In Decibels:

0.35 blank

**Functional Terminal Type And Quantity:** 

1 connector, receptacle output 2nd function

**Specified Frequencies Of Discrimination Per Function:** 

1.00 hertz blank and 12.40 gigahertz blank and 16.74 gigahertz blank and 62.00 gigahertz blank

**Frequency Band Width Per Function:** 

1.00 hertz blank and 12.40 gigahertz blank

Discrimination At Specificationified Frequencies Per Function In Decibels:

1.0 blank and 1.0 blank and 60.0 blank and 60.0 blank

**Voltage Standing Wave Ratio Frequency Limits Per Function:** 

1.0 hertz blank and 12.4 gigahertz blank

**Unpackaged Unit Weight:** 

4.000 ounces

## NSN 5915-01-016-8345

Low Pass Filter - Page 2 of 2



Round terminal/terminals on opposite surfaces

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A047b0