

View Online at <https://aerobasegroup.com/nsn/5915-01-017-0179>

**Overall Height:**

0.840 inches

**Body Length:**

2.530 inches

**Body Width:**

0.560 inches

**Body Height:**

0.590 inches

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:**

1.500 inches

**Vibration Resistance Range In Hertz:**

+10.0/+55.0

**Operating Temperature Range:**

+0.0/+50.0 degrees celsius

**Reference Frequency Per Function:**

459.15 kilohertz blank

**Source Impedance Rating Per Function:**

2.0 kilohms blank

**Load Impedance Per Function:**

2.0 kilohms blank

**Mounting Facility Screw Thread Series Designator:**

Unc

**Inclosure Type:**

Encapsulated

**Mounting Facility Type And Quantity:**

2 threaded stud

**Insertion Loss At Reference Frequency Per Function In Decibels:**

6.0 blank

**Functional Terminal Type And Quantity:**

2 pin output 2nd function

**Specified Frequencies Of Discrimination Per Function:**

436.00 kilohertz blank and 457.65 kilohertz blank and 460.35 kilohertz blank and 480.00 kilohertz blank

**Thread Size:**

0.112 inches

**Body Material:**

Plastic

**Frequency Band Width Per Function:**

457.65 kilohertz blank and 460.35 kilohertz blank

**Discrimination At Specificationified Frequencies Per Function In Decibels:**

60.0 blank and 1.5 blank and 1.5 blank and 60.0 blank

**Maximum Dielectric Withstanding Dc Voltage:**

100.0 volts at sea level

**Style Designator:**

Rectangular terminal/terminals on one surface

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A047b0