

View Online at <https://aerobasegroup.com/nsn/5915-01-017-0179>

Overall Height:

0.840 inches

Body Length:

2.530 inches

Body Width:

0.560 inches

Body Height:

0.590 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

1.500 inches

Vibration Resistance Range In Hertz:

+10.0/+55.0

Operating Temperature Range:

+0.0/+50.0 degrees celsius

Reference Frequency Per Function:

459.15 kilohertz blank

Source Impedance Rating Per Function:

2.0 kilohms blank

Load Impedance Per Function:

2.0 kilohms blank

Mounting Facility Screw Thread Series Designator:

Unc

Inclosure Type:

Encapsulated

Mounting Facility Type And Quantity:

2 threaded stud

Insertion Loss At Reference Frequency Per Function In Decibels:

6.0 blank

Functional Terminal Type And Quantity:

2 pin output 2nd function

Specified Frequencies Of Discrimination Per Function:

436.00 kilohertz blank and 457.65 kilohertz blank and 460.35 kilohertz blank and 480.00 kilohertz blank

Thread Size:

0.112 inches

Body Material:

Plastic

Frequency Band Width Per Function:

457.65 kilohertz blank and 460.35 kilohertz blank

Discrimination At Specificationified Frequencies Per Function In Decibels:

60.0 blank and 1.5 blank and 1.5 blank and 60.0 blank

Maximum Dielectric Withstanding Dc Voltage:

100.0 volts at sea level

Style Designator:

Rectangular terminal/terminals on one surface

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A047b0