

View Online at <https://aerobasegroup.com/nsn/5915-01-022-3128>

**Overall Height:**

Between 0.683 inches and 0.718 inches

**Body Length:**

2.060 inches

**Body Width:**

1.500 inches

**Body Height:**

0.583 inches

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:**

1.500 inches

**Vibration Resistance Range In Hertz:**

+10.0/+500.0

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:**

1.000 inches

**Operating Temperature Range:**

-55.0/+85.0 degrees celsius

**Average Life Rating In Hours:**

10000.0

**Reference Frequency Per Function:**

9.9 megahertz blank

**Source Impedance Rating Per Function:**

1.0 kilohms blank

**Load Impedance Per Function:**

1.0 kilohms blank

**Principal Circuitry Type Per Function:**

Crystal blank

**Mounting Facility Screw Thread Series Designator:**

Unc

**Inclosure Type:**

Encased

**Mounting Facility Type And Quantity:**

4 threaded hole

**Insertion Loss At Reference Frequency Per Function In Decibels:**

1.2 blank

**Functional Terminal Type And Quantity:**

2 pin ground 3rd function

**Specified Frequencies Of Discrimination Per Function:**

9.85 megahertz blank and 9.883 megahertz blank and 9.917 megahertz blank and 9.95 megahertz blank

**Thread Size:**

0.086 inches

**Body Material:**

Metal

**Frequency Band Width Per Function:**

9.883 megahertz blank and 9.917 megahertz blank

**Discrimination At Specificationified Frequencies Per Function In Decibels:**

80.0 blank and 6.0 blank and 6.0 blank and 80.0 blank

**Body Surface Treatment:**

Silver

**Style Designator:**

Rectangular terminal/terminals on one surface

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fig:**

A047b0