

View Online at <https://aerobasegroup.com/nsn/5915-01-023-7672>

**Overall Height:**

0.350 inches

**Body Length:**

0.760 inches

**Body Width:**

0.460 inches

**Body Height:**

0.250 inches

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:**

0.600 inches

**Vibration Resistance Range In Hertz:**

+10.0/+55.0

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:**

0.300 inches

**Operating Temperature Range:**

-55.0/+105.0 degrees celsius

**Reference Frequency Per Function:**

500.0 hertz blank

**Input Impedance Per Function W/load:**

1.0 kilohms blank

**Output Impedance Per Function W/source Across Input:**

1.0 kilohms blank

**Principal Circuitry Type Per Function:**

Inductance-capacitance blank

**Inclosure Type:**

Encapsulated

**Mounting Facility Type And Quantity:**

4 terminal

**Insertion Loss At Reference Frequency Per Function In Decibels:**

0.5 blank

**Functional Terminal Type And Quantity:**

2 pin ground 3rd function

**Specified Frequencies Of Discrimination Per Function:**

1.00 hertz blank and 1.00 kilohertz blank and 2.50 kilohertz blank and 3.00 kilohertz blank

**Body Material:**

Plastic

**Frequency Band Width Per Function:**

1.00 hertz blank and 1.00 kilohertz blank

**Discrimination At Specificationified Frequencies Per Function In Decibels:**

3.0 blank and 3.0 blank and 39.0 blank and 52.0 blank

**Unpackaged Unit Weight:**

3.000 grams

**Style Designator:**

Rectangular terminal/terminals on one surface

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fiig:**

A047b0