NSN 5915-01-023-9204

Overall Height: 11.000 inches

Radio Frequency Interference Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-01-023-9204

Body Length:					
2.000 inches					
Body Width:					
1.500 inches					
Body Height:					
3.000 inches					
Unthreaded Mounting Hole Diameter:					
0.188 inches					
Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:					
1.500 inches					
Operating Tempurature Range:					
+0.0/+55.0 degrees celsius					
Source Impedance Rating Per Function:					
50.0 ohms blank					
Load Impedance Per Function:					
50.0 ohms blank					
Input Impedance Per Function W/load:					
50.0 ohms 1st radio interference					
Output Impedance Per Function W/source Across Input:					
50.0 ohms 1st radio interference					
Power Line Frequency Rating Per Function In Hertz:					
400.0 2nd radio interference					
400.0 2nd radio interference Operating Current Rating Per Function In Amps:					
Operating Current Rating Per Function In Amps:					
Operating Current Rating Per Function In Amps: 15.0 2nd radio interference					
Operating Current Rating Per Function In Amps: 15.0 2nd radio interference Principal Circuitry Type Per Function:					
Operating Current Rating Per Function In Amps: 15.0 2nd radio interference Principal Circuitry Type Per Function: Inductance-capacitance 2nd radio interference					
Operating Current Rating Per Function In Amps: 15.0 2nd radio interference Principal Circuitry Type Per Function: Inductance-capacitance 2nd radio interference Inclosure Type:					
Operating Current Rating Per Function In Amps: 15.0 2nd radio interference Principal Circuitry Type Per Function: Inductance-capacitance 2nd radio interference Inclosure Type: Encapsulated					
Operating Current Rating Per Function In Amps: 15.0 2nd radio interference Principal Circuitry Type Per Function: Inductance-capacitance 2nd radio interference Inclosure Type: Encapsulated Mounting Facility Type And Quantity:					
Operating Current Rating Per Function In Amps: 15.0 2nd radio interference Principal Circuitry Type Per Function: Inductance-capacitance 2nd radio interference Inclosure Type: Encapsulated Mounting Facility Type And Quantity: 2 unthreaded hole					
Operating Current Rating Per Function In Amps: 15.0 2nd radio interference Principal Circuitry Type Per Function: Inductance-capacitance 2nd radio interference Inclosure Type: Encapsulated Mounting Facility Type And Quantity: 2 unthreaded hole Functional Terminal Type And Quantity:					
Operating Current Rating Per Function In Amps: 15.0 2nd radio interference Principal Circuitry Type Per Function: Inductance-capacitance 2nd radio interference Inclosure Type: Encapsulated Mounting Facility Type And Quantity: 2 unthreaded hole Functional Terminal Type And Quantity: 2 pin output 2nd function					
Operating Current Rating Per Function In Amps: 15.0 2nd radio interference Principal Circuitry Type Per Function: Inductance-capacitance 2nd radio interference Inclosure Type: Encapsulated Mounting Facility Type And Quantity: 2 unthreaded hole Functional Terminal Type And Quantity: 2 pin output 2nd function Operating Voltage Rating And Type Per Function:					
Operating Current Rating Per Function In Amps: 15.0 2nd radio interference Principal Circuitry Type Per Function: Inductance-capacitance 2nd radio interference Inclosure Type: Encapsulated Mounting Facility Type And Quantity: 2 unthreaded hole Functional Terminal Type And Quantity: 2 pin output 2nd function Operating Voltage Rating And Type Per Function: 350.0 volts ac 2nd radio interference 2nd function					
Operating Current Rating Per Function In Amps: 15.0 2nd radio interference Principal Circuitry Type Per Function: Inductance-capacitance 2nd radio interference Inclosure Type: Encapsulated Mounting Facility Type And Quantity: 2 unthreaded hole Functional Terminal Type And Quantity: 2 pin output 2nd function Operating Voltage Rating And Type Per Function: 350.0 volts ac 2nd radio interference 2nd function Body Material:					
Operating Current Rating Per Function In Amps: 15.0 2nd radio interference Principal Circuitry Type Per Function: Inductance-capacitance 2nd radio interference Inclosure Type: Encapsulated Mounting Facility Type And Quantity: 2 unthreaded hole Functional Terminal Type And Quantity: 2 pin output 2nd function Operating Voltage Rating And Type Per Function: 350.0 volts ac 2nd radio interference 2nd function Body Material: Metal					
Operating Current Rating Per Function In Amps: 15.0 2nd radio interference Principal Circuitry Type Per Function: Inductance-capacitance 2nd radio interference Inclosure Type: Encapsulated Mounting Facility Type And Quantity: 2 unthreaded hole Functional Terminal Type And Quantity: 2 pin output 2nd function Operating Voltage Rating And Type Per Function: 350.0 volts ac 2nd radio interference 2nd function Body Material: Metal Style Designator:					

NSN 5915-01-023-9204

Radio Frequency Interference Filter - Page 2 of 2



		• •			
ш	ın	10	<i>(</i>)+	Measure:	

--

Demilitarization:

No

Fiig:

A047b0