NSN 5915-01-026-2248

Band Pass Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-01-026-2248

| Overall Height: |
|---|
| 0.880 inches |
| Body Length: |
| 2.000 inches |
| Body Width: |
| 0.750 inches |
| Body Height: |
| 0.700 inches |
| Distance Between Centerlines Of Mounting Facilities Parallel To Body Length: |
| 1.600 inches |
| Vibration Resistance Range In Hertz: |
| +10.0/+55.0 |
| Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: |
| 0.375 inches |
| Operating Tempurature Range: |
| +0.0/+60.0 degrees celsius |
| Average Life Rating In Hours: |
| 1000.0 |
| Reference Frequency Per Function: |
| 19.95 megahertz blank |
| Source Impedance Rating Per Function: |
| 900.0 ohms blank |
| Load Impedance Per Function: |
| 900.0 ohms blank |
| Inclosure Type: |
| Encased |
| Mounting Facility Type And Quantity: |
| 4 terminal |
| Insertion Loss At Reference Frequency Per Function In Decibels: |
| 3.0 blank |
| Functional Terminal Type And Quantity: |
| 2 pin ground 3rd function |
| Specified Frequencies Of Discrimination Per Function: |
| 19.913 megahertz blank and 19.927 megahertz blank and 19.973 megahertz blank and 19.987 megahertz blank |
| Body Material: |
| Metal |
| Frequency Band Width Per Function: |
| 19.927 megahertz blank and 19.973 megahertz blank |
| Discrimination At Specificationified Frequencies Per Function In Decibels: |
| 30.0 blank and 3.0 blank and 3.0 blank and 30.0 blank |

Style Designator:

Rectangular terminal/terminals on one surface

NSN 5915-01-026-2248

Band Pass Filter - Page 2 of 2



| _ | | | • | | |
|---|---|----|---|----|----|
| • | n | ο. | • | 18 | e: |
| | | | | | |

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A047b0