NSN 5915-01-026-2253

Band Pass Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-01-026-2253	
Overall Height:	
1.740 inches	
Body Length:	
2.330 inches	
Body Width:	
0.600 inches	
Body Height:	
0.840 inches	
Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:	
2.000 inches	
Vibration Resistance Range In Hertz:	
+5.0/+55.0	
Operating Tempurature Range:	
-55.0/+125.0 degrees celsius	
Reference Frequency Per Function:	
10.2 gigahertz blank	
Source Impedance Rating Per Function:	
50.0 ohms blank	
Load Impedance Per Function:	
50.0 ohms blank	
Input Terminal Manufacturer Code:	
81349	
Input Terminal Identification:	
Sma	
Output Terminal Manufacturer Code:	
81349	
Output Terminal Identification:	
Sma	
Voltage Standing Wave Ratio Per Function:	
1.5 blank	
Mounting Facility Screw Thread Series Designator:	
Unc	
Inclosure Type:	
Encased	
Mounting Facility Type And Quantity:	
2 threaded hole	
Insertion Loss At Reference Frequency Per Function In Decibels:	
0.6 blank	

Functional Terminal Type And Quantity:

.

1 connector, receptacle output 2nd function

Specified Frequencies Of Discrimination Per Function:

6.40 gigahertz blank and 8.00 gigahertz blank and 12.40 gigahertz blank and 18.00 gigahertz blank

NSN 5915-01-026-2253Band Pass Filter - Page 2 of 2



Thread Size:
0.112 inches
Body Material:
Metal
Frequency Band Width Per Function:
8.00 gigahertz blank and 12.40 gigahertz blank
Discrimination At Specificationified Frequencies Per Function In Decibels:
60.0 blank and 1.0 blank and 1.0 blank and 60.0 blank
Voltage Standing Wave Ratio Frequency Limits Per Function:
8.0 gigahertz blank and 12.4 gigahertz blank
Style Designator:
Rectangular terminal/terminals on opposite surfaces
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Yes - demil/mli
Fiig:
A047b0