NSN 5915-01-026-5911

Band Pass Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-01-026-5911 **Overall Length:** 2.760 inches **Overall Height:** 0.600 inches **Body Length:** 2.000 inches **Body Width:** 0.750 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Length: 1.800 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: 0.550 inches **Operating Tempurature Range:** +0.0/+65.0 degrees celsius **Reference Frequency Per Function:** 10.0 gigahertz blank **Load Impedance Per Function:** 50.0 ohms blank Input Impedance Per Function W/load: 50.0 ohms blank **Voltage Standing Wave Ratio Per Function:** 1.5 blank **Average Power Rating Per Function:** 10.0 watts blank **Mounting Facility Screw Thread Series Designator:** Unc **Inclosure Type:** Encased **Mounting Facility Type And Quantity:** 4 threaded hole Insertion Loss At Reference Frequency Per Function In Decibels: **Functional Terminal Type And Quantity:** 1 connector, receptacle output 2nd function **Specified Frequencies Of Discrimination Per Function:** 9.750 gigahertz blank and 9.985 gigahertz blank and 10.015 gigahertz blank and 10.250 gigahertz blank **Thread Size:** 0.086 inches

Body Material:

Metal

Frequency Band Width Per Function:

9.985 gigahertz blank and 10.015 gigahertz blank

NSN 5915-01-026-5911

Band Pass Filter - Page 2 of 2



Discrimination At Specificationified Frequencies Per Function In Decibels:

50.0 blank and 5.0 blank and 5.0 blank and 50.0 blank

Voltage Standing Wave Ratio Frequency Limits Per Function:

9.985 gigahertz blank and 10.015 gigahertz blank

Style Designator:

Rectangular terminal/terminals on opposite surfaces

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A047b0