NSN 5915-01-027-8157

72.70 megahertz blank and 75.30 megahertz blank

Band Pass Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-01-027-8157

Overall Height:
3.151 inches
Body Length:
1.030 inches
Body Width:
1.030 inches
Body Height:
2.391 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:
0.720 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:
0.720 inches
Operating Tempurature Range:
-18.0/+80.0 degrees celsius
Average Life Rating In Hours:
30000.0
Reference Frequency Per Function:
74.0 megahertz blank
Input Impedance Per Function W/load:
50.0 ohms blank
Output Impedance Per Function W/source Across Input:
50.0 ohms blank
Voltage Standing Wave Ratio Per Function:
1.5 blank
Mounting Facility Screw Thread Series Designator:
Unc
Inclosure Type:
Hermetically sealed
Mounting Facility Type And Quantity:
4 threaded stud
Insertion Loss At Reference Frequency Per Function In Decibels:
7.0 blank
Functional Terminal Type And Quantity:
1 connector, receptacle output 2nd function
Specified Frequencies Of Discrimination Per Function:
30.00 megahertz blank and 72.70 megahertz blank and 75.30 megahertz blank and 120.00 megahertz blank
Thread Size:
0.112 inches
Body Material:
Metal
Frequency Band Width Per Function:

NSN 5915-01-027-8157

Band Pass Filter - Page 2 of 2



Discrimination At Specificationified Frequencies Per Function In Decibels:

30.0 blank and 3.0 blank and 3.0 blank and 30.0 blank

Body Surface Treatment:

Tin

Style Designator:

Rectangular terminal/terminals on opposite surfaces

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A047b0