

View Online at <https://aerobasegroup.com/nsn/5915-01-028-6637>

Overall Height:

Between 1.279 inches and 1.341 inches

Body Length:

3.500 inches

Body Width:

1.500 inches

Body Height:

1.000 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

3.125 inches

Vibration Resistance Range In Hertz:

+10.0/+55.0

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

1.125 inches

Operating Temperature Range:

+0.0/+85.0 degrees celsius

Average Life Rating In Hours:

40000.0

Reference Frequency Per Function:

10.441 kilohertz blank

Input Impedance Per Function W/load:

30.0 ohms blank

Output Impedance Per Function W/source Across Input:

50.0 ohms blank

Principal Circuitry Type Per Function:

Crystal blank

Mounting Facility Screw Thread Series Designator:

Unc

Inclosure Type:

Encased

Mounting Facility Type And Quantity:

4 threaded stud

Insertion Loss At Reference Frequency Per Function In Decibels:

13.0 blank

Functional Terminal Type And Quantity:

2 pin ground 3rd function

Specified Frequencies Of Discrimination Per Function:

10.095 kilohertz blank and 10.377 kilohertz blank and 10.506 kilohertz blank and 10.705 kilohertz blank

Thread Size:

0.112 inches

Body Material:

Metal

Frequency Band Width Per Function:

10.377 kilohertz blank and 10.506 kilohertz blank

Discrimination At Specificationified Frequencies Per Function In Decibels:

70.0 blank and 1.0 blank and 1.0 blank and 70.0 blank

Style Designator:

Rectangular terminal/terminals on one surface

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A047b0