NSN 5915-01-028-6638

Band Suppression Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-01-028-6638

Overall Height:	
1.310 inches	
Body Length:	
3.500 inches	
Body Width:	
1.500 inches	
Body Height:	
1.000 inches	
Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:	
3.125 inches	
Vibration Resistance Range In Hertz:	
+10.0/+55.0	
Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:	
1.125 inches	
Operating Tempurature Range:	
+0.0/+85.0 degrees celsius	
Average Life Rating In Hours:	
40000.0	
Reference Frequency Per Function:	
10.4 megahertz blank	
Source Impedance Rating Per Function:	
50.0 ohms blank	
Load Impedance Per Function:	
50.0 ohms blank	
Principal Circuitry Type Per Function:	
Crystal blank	
Mounting Facility Screw Thread Series Designator:	
Unc	
Inclosure Type:	
Hermetically sealed	
Mounting Facility Type And Quantity:	
4 threaded stud	
Insertion Loss At Reference Frequency Per Function In Decibels:	
4.0 blank	
Functional Terminal Type And Quantity:	
2 pin ground 3rd function	
Specified Frequencies Of Discrimination Per Function:	
10.3982 megahertz blank and 10.399625 megahertz blank and 10.400375 megahertz blank and 10.4018 megahertz blank	(
Thread Size:	•
0.112 inches	
Body Material:	
Metal	

NSN 5915-01-028-6638

Band Suppression Filter - Page 2 of 2



Frequency Band Width Per Function:

10.399625 megahertz blank and 10.400375 megahertz blank

Discrimination At Specificationified Frequencies Per Function In Decibels:

1.5 blank and 40.0 blank and 40.0 blank and 1.5 blank

Style Designator:

Rectangular terminal/terminals on one surface

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A047b0