

View Online at <https://aerobasegroup.com/nsn/5915-01-032-4469>

Overall Height:

0.740 inches

Body Length:

2.500 inches

Body Width:

0.535 inches

Body Height:

0.625 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

2.250 inches

Vibration Resistance Range In Hertz:

+10.0/+55.0

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

0.250 inches

Operating Temperature Range:

+0.0/+85.0 degrees celsius

Reference Frequency Per Function:

100.0 megahertz blank

Source Impedance Rating Per Function:

50.0 ohms blank

Load Impedance Per Function:

50.0 ohms blank

Input Impedance Per Function W/load:

50.0 ohms blank

Output Impedance Per Function W/source Across Input:

50.0 ohms blank

Mounting Facility Screw Thread Series Designator:

Unc

Inclosure Type:

Encased

Mounting Facility Type And Quantity:

2 threaded stud

Insertion Loss At Reference Frequency Per Function In Decibels:

4.0 blank

Functional Terminal Type And Quantity:

1 pin output 2nd function

Specified Frequencies Of Discrimination Per Function:

99.94 megahertz blank and 99.994 megahertz blank and 100.007 megahertz blank and 100.06 megahertz blank

Thread Size:

0.112 inches

Frequency Band Width Per Function:

99.994 megahertz blank and 100.007 megahertz blank

Discrimination At Specificationified Frequencies Per Function In Decibels:

20.0 blank and 3.0 blank and 3.0 blank and 20.0 blank

Style Designator:

Rectangular terminal/terminals on one surface

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A047b0