## NSN 5915-01-033-6003

Low Pass Filter - Page 1 of 2

**Overall Height:** 

Gold



View Online at https://aerobasegroup.com/nsn/5915-01-033-6003

0.750 inches
Body Length:
1.438 inches
Body Width:
1.056 inches
Body Height:
0.500 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:
1.200 inches
Vibration Resistance Range In Hertz:
+10.0/+2000.0
Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:
0.900 inches
Operating Tempurature Range:
-25.0/+75.0 degrees celsius
Reference Frequency Per Function:
303.0 kilohertz blank
Source Impedance Rating Per Function:
1.0 ohms blank
Load Impedance Per Function:
1.0 kilohms blank
Inclosure Type:
Encased
Mounting Facility Type And Quantity:
4 terminal
Insertion Loss At Reference Frequency Per Function In Decibels:
0.2 blank
Functional Terminal Type And Quantity:
2 pin ground 3rd function
Specified Frequencies Of Discrimination Per Function:
1.00 kilohertz blank and 605.00 kilohertz blank and 1.11 megahertz blank and 1.33 megahertz blank
Body Material:
Plastic
Frequency Band Width Per Function:
1.00 kilohertz blank and 605.00 kilohertz blank
Discrimination At Specificationified Frequencies Per Function In Decibels:
3.0 blank and 30.0 blank and 40.0 blank
Precious Material And Location:
Terminals gold
Precious Material:

## NSN 5915-01-033-6003

Low Pass Filter - Page 2 of 2



Style Designator:
Rectangular terminal/terminals on one surface
Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A047b0