## NSN 5915-01-040-1290

Radio Frequency Interference Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-01-040-1290 **Overall Height: 6.730** inches **Body Length:** 4.000 inches **Body Width:** 3.000 inches **Body Height:** 5.000 inches **Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:** 3.500 inches **Vibration Resistance Range In Hertz:** 

+10.0/+500.0

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

2.500 inches

**Operating Tempurature Range:** 

+0.0/+65.0 degrees celsius

**Source Impedance Rating Per Function:** 

50.0 ohms 3rd radio interference

**Load Impedance Per Function:** 

50.0 ohms 2nd radio interference

**Power Line Frequency Rating Per Function In Hertz:** 

60.0 3rd radio interference

**Operating Current Rating Per Function In Amps:** 

20.0 2nd radio interference

**Maximum Voltage Drop Per Function:** 

1.15 volts ac 3rd radio interference

**Principal Circuitry Type Per Function:** 

Inductance-capacitance 3rd radio interference

**Input Terminal Manufacturer Code:** 

71468

Input Terminal Identification:

Gs02-25-22-22p

**Maximum Tempurature Rise:** 

25.0 degrees celsius

**Mounting Facility Screw Thread Series Designator:** 

Unc

**Inclosure Type:** 

Encased

**Mounting Facility Type And Quantity:** 

4 threaded hole

**Functional Terminal Type And Quantity:** 

1 connector, receptacle input 1st function3 threaded stud output 2nd function

## NSN 5915-01-040-1290

Radio Frequency Interference Filter - Page 2 of 2



## **Operating Voltage Rating And Type Per Function:**

208.0 volts ac 1st radio interference	1st function208.0	volts ac 2nd radio	interference 2nd fu	unction208.0 vo	lts ac 3rd radio	interference 3rd
function						

TUTICUOTI
Thread Size:
0.164 inches
Body Material:
Metal
Style Designator:
Rectangular terminal/terminals on opposite surfaces
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:

Yes - demil/mli

Fiig: A047b0