

View Online at <https://aerobasegroup.com/nsn/5915-01-040-7532>

Overall Length:

4.593 inches

Mounting Slot Width:

0.250 inches

Body Length:

3.875 inches

Body Width:

2.312 inches

Body Height:

2.125 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

Between 1.375 inches and 1.500 inches

Operating Temperature Range:

+0.0/+85.0 degrees celsius

Reference Frequency Per Function:

1.58 kilohertz blank

Source Impedance Rating Per Function:

35.0 ohms blank

Load Impedance Per Function:

1.0 megohms blank

Mounting Facility Screw Thread Series Designator:

Unc

Inclosure Type:

Encased

Mounting Facility Type And Quantity:

2 threaded hole

Insertion Loss At Reference Frequency Per Function In Decibels:

7.5 blank

Functional Terminal Type And Quantity:

2 pin output 2nd function

Specified Frequencies Of Discrimination Per Function:

100.00 hertz blank and 1.00 kilohertz blank and 2.50 kilohertz blank and 6.00 kilohertz blank

Thread Size:

0.138 inches

Body Material:

Metal

Frequency Band Width Per Function:

1.00 kilohertz blank and 2.50 kilohertz blank

Discrimination At Specificationified Frequencies Per Function In Decibels:

70.0 blank and 3.0 blank and 3.0 blank and 70.0 blank

Maximum Dielectric Withstanding Dc Voltage:

500.0 volts at sea level

Precious Material And Location:

Terminals gold

Precious Material:

Gold

Style Designator:

Rectangular terminal/terminals on opposite surfaces

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A047b0