NSN 5915-01-040-7533

Band Pass Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-01-040-7533

Overall Length:
4.593 inches
Mounting Slot Width:
0.250 inches
Body Length:
3.875 inches
Body Width:
2.312 inches
Body Height:
2.125 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:
Between 1.375 inches and 1.500 inches
Operating Tempurature Range:
+0.0/+85.0 degrees celsius
Reference Frequency Per Function:
2.54 kilohertz blank
Source Impedance Rating Per Function:
35.0 ohms blank
Load Impedance Per Function:
1.0 megohms blank
Mounting Facility Screw Thread Series Designator:
Unc
Inclosure Type:
Encased
Mounting Facility Type And Quantity:
2 threaded hole
Insertion Loss At Reference Frequency Per Function In Decibels:
7.5 blank
Functional Terminal Type And Quantity:
2 pin output 2nd function
Specified Frequencies Of Discrimination Per Function:
100.00 hertz blank and 1.00 kilohertz blank and 6.00 kilohertz blank and 8.00 kilohertz blank
Thread Size:
0.138 inches
Body Material:
Metal
Frequency Band Width Per Function:
1.00 kilohertz blank and 6.00 kilohertz blank
Discrimination At Specificationified Frequencies Per Function In Decibels:
70.0 blank and 3.0 blank and 3.0 blank and 70.0 blank

500.0 volts at sea level

Maximum Dielectric Withstanding Dc Voltage:

NSN 5915-01-040-7533Band Pass Filter - Page 2 of 2



Precious Material And Location:
Terminals gold
Precious Material:
Gold
Style Designator:
Rectangular terminal/terminals on opposite surfaces
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

A047b0