# NSN 5915-01-040-8064

High Pass Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-01-040-8064

#### **Overall Height:**

2.500 inches

#### **Body Length:**

1.125 inches

# Body Width:

1.125 inches

#### **Body Height:**

#### 2.125 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

#### 0.718 inches

# Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

#### 0.718 inches

#### **Operating Tempurature Range:**

#### +0.0/+85.0 degrees celsius

#### **Reference Frequency Per Function:**

# 2.55 kilohertz blank

# Source Impedance Rating Per Function:

100.0 ohms blank

#### Load Impedance Per Function:

100.0 ohms blank

# Mounting Facility Screw Thread Series Designator:

Unc

# Inclosure Type:

Encased

# Mounting Facility Type And Quantity:

4 threaded stud

# Insertion Loss At Reference Frequency Per Function In Decibels:

0.5 blank

# Functional Terminal Type And Quantity:

1 pin input 1st function1 pin output 2nd function2 pin ground 3rd function

# Specified Frequencies Of Discrimination Per Function:

700.00 hertz blank and 1.45 kilohertz blank and 2.00 kilohertz blank and 3.10 kilohertz blank

#### Thread Size:

0.112 inches

#### **Body Material:**

Metal

#### Frequency Band Width Per Function:

2.00 kilohertz blank and 3.10 kilohertz blank

# Discrimination At Specificationified Frequencies Per Function In Decibels:

50.0 blank and 50.0 blank and 1.5 blank and 1.5 blank

#### Style Designator:

Rectangular terminal/terminals on one surface

# NSN 5915-01-040-8064

High Pass Filter - Page 2 of 2

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A047b0

