

View Online at <https://aerobasegroup.com/nsn/5915-01-043-4387>

**Overall Height:**

1.108 inches

**Body Length:**

2.000 inches

**Body Width:**

1.000 inches

**Body Height:**

0.750 inches

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:**

1.000 inches

**Vibration Resistance Range In Hertz:**

+10.0/+500.0

**Operating Temperature Range:**

-55.0/+91.0 degrees celsius

**Average Life Rating In Hours:**

1000.0

**Reference Frequency Per Function:**

18.0 megahertz blank

**Source Impedance Rating Per Function:**

5.0 kilohms blank

**Load Impedance Per Function:**

2.5 kilohms blank

**Principal Circuitry Type Per Function:**

Crystal blank

**Mounting Facility Screw Thread Series Designator:**

Unc

**Inclosure Type:**

Hermetically sealed

**Mounting Facility Type And Quantity:**

2 threaded hole

**Insertion Loss At Reference Frequency Per Function In Decibels:**

4.0 blank

**Functional Terminal Type And Quantity:**

2 pin output 2nd function

**Specified Frequencies Of Discrimination Per Function:**

17.9835 megahertz blank and 17.991 megahertz blank and 18.009 megahertz blank and 18.0165 megahertz blank

**Thread Size:**

0.112 inches

**Body Material:**

Metal

**Frequency Band Width Per Function:**

17.991 megahertz blank and 18.009 megahertz blank

**Discrimination At Specificationified Frequencies Per Function In Decibels:**

60.0 blank and 6.0 blank and 6.0 blank and 60.0 blank

**Special Features:**

Terminals 1 and 3 ground; common to case

**Style Designator:**

Rectangular terminal/terminals on opposite surfaces

**Test Data Document:**

13499-293-1234 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A047b0