

View Online at <https://aerobasegroup.com/nsn/5915-01-043-5889>

Overall Height:

1.391 inches

Body Length:

1.750 inches

Body Width:

0.500 inches

Body Height:

1.000 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

1.400 inches

Vibration Resistance Range In Hertz:

+10.0/+55.0

Reference Frequency Per Function:

1.0 kilohertz blank

Source Impedance Rating Per Function:

300.0 ohms blank

Load Impedance Per Function:

5.0 kilohms blank

Mounting Facility Screw Thread Series Designator:

Unc

Inclosure Type:

Hermetically sealed

Mounting Facility Type And Quantity:

2 threaded hole

Insertion Loss At Reference Frequency Per Function In Decibels:

8.0 blank

Functional Terminal Type And Quantity:

1 pin output 2nd function

Specified Frequencies Of Discrimination Per Function:

1.00 hertz blank and 300.00 hertz blank and 3.00 kilohertz blank and 5.75 kilohertz blank

Thread Size:

0.112 inches

Body Material:

Metal

Frequency Band Width Per Function:

300.00 hertz blank and 3.00 kilohertz blank

Discrimination At Specificationified Frequencies Per Function In Decibels:

18.0 blank and 3.0 blank and 3.0 blank and 18.0 blank

Body Surface Treatment:

Tin

Style Designator:

Rectangular terminal/terminals on one surface

Test Data Document:

13499-673-1143 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A047b0