## NSN 5915-01-046-2632

Radio Frequency Interference Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-01-046-2632

| Overall Length:  |
|--|
| 7.645 inches   |
| Overall Height:  |
| 10.375 inches  |
| Body Length:   |
| 7.000 inches   |
| Body Width:  |
| 6.250 inches   |
| Body Height:   |
| 10.000 inches  |
| Unthreaded Mounting Hole Diameter:   |
| 0.234 inches   |
| Distance Between Centerlines Of Mounting Facilities Parallel To Body Length: |
| 6.000 inches   |
| Vibration Resistance Range In Hertz:   |
| +5.0/+2000.0   |
| Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:  |
| 5.750 inches   |
| Operating Tempurature Range:   |
| -54.0/+95.0 degrees celsius  |
| Source Impedance Rating Per Function:  |
| 50.0 ohms 4th radio interference   |
| Load Impedance Per Function:   |
| 50.0 ohms 4th radio interference   |
| Power Line Frequency Rating Per Function In Hertz:                           |
| 400.0 4th radio interference   |
| Operating Current Rating Per Function In Amps:                               |
| 15.0 3rd radio interference  |
| Principal Circuitry Type Per Function:                                       |
| Inductance-capacitance 3rd radio interference                                |
| Input Terminal Manufacturer Code:  |
| 11139  |
| Input Terminal Identification:   |
| Dbc53h-18-8pn  |
| Maximum Tempurature Rise:  |
| 25.0 degrees celsius   |
| Inclosure Type:  |
| Encased  |
| Mounting Facility Type And Quantity:   |
| 6 unthreaded hole  |

4 threaded stud output 2nd function

**Functional Terminal Type And Quantity:** 

## NSN 5915-01-046-2632

Radio Frequency Interference Filter - Page 2 of 2



## Operating Voltage Rating And Type Per Function: 215.0 volts ac 4th radio interference 4th function Body Material: Metal Body Surface Treatment: Tin Style Designator: Rectangular terminal/terminals on two surfaces Shelf Life: N/a Unit Of Measure: - Demilitarization: No

Fiig: A047b0