

View Online at <https://aerobasegroup.com/nsn/5915-01-046-9296>

**Overall Length:**

Between 5.105 inches and 5.644 inches

**Body Length:**

Between 4.980 inches and 5.020 inches

**Body Width:**

Between 2.980 inches and 3.020 inches

**Body Height:**

Between 0.720 inches and 0.850 inches

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:**

Between 4.490 inches and 4.510 inches

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:**

Between 2.490 inches and 2.510 inches

**Operating Temperature Range:**

+0.0/+150.0 degrees fahrenheit

**Reference Frequency Per Function:**

14.0 kilohertz blank

**Input Impedance Per Function W/load:**

75.0 ohms blank

**Output Impedance Per Function W/source Across Input:**

75.0 ohms blank

**Mounting Facility Screw Thread Series Designator:**

Unc

**Inclosure Type:**

Encased

**Mounting Facility Type And Quantity:**

4 threaded hole

**Insertion Loss At Reference Frequency Per Function In Decibels:**

1.0 blank

**Functional Terminal Type And Quantity:**

1 tab, solder lug output 2nd function

**Specified Frequencies Of Discrimination Per Function:**

4.00 kilohertz blank and 24.00 kilohertz blank and 28.40 kilohertz blank and 1.00 megahertz blank

**Thread Size:**

0.112 inches

**Body Material:**

Metal

**Frequency Band Width Per Function:**

4.00 kilohertz blank and 24.00 kilohertz blank

**Discrimination At Specificationified Frequencies Per Function In Decibels:**

1.0 blank and 1.0 blank and 20.0 blank and 20.0 blank

**Unpackaged Unit Weight:**

1.000 pounds

**Style Designator:**

Rectangular terminal/terminals on opposite surfaces

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A047b0