

View Online at <https://aerobasegroup.com/nsn/5915-01-049-4170>

Overall Length:

2.160 inches

Overall Height:

1.770 inches

Body Length:

1.500 inches

Body Width:

1.380 inches

Body Height:

1.520 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

1.000 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

0.750 inches

Reference Frequency Per Function:

3.0 composition b grade a two phase to two phase

Source Impedance Rating Per Function:

50.0 ohms 2nd band pass

Load Impedance Per Function:

50.0 ohms 2nd band pass

Voltage Standing Wave Ratio Per Function:

2.0 2nd band pass

Mounting Facility Screw Thread Series Designator:

Unc

Inclosure Type:

Hermetically sealed

Mounting Facility Type And Quantity:

4 threaded hole

Insertion Loss At Reference Frequency Per Function In Decibels:

2.0 2nd band pass

Specified Frequencies Of Discrimination Per Function:

1.81 gigahertz 2nd band pass 2nd function and 1.9925 gigahertz 2nd band pass 2nd function and 4.0075 gigahertz 2nd band pass 2nd function and 4.190 gigahertz 2nd band pass 2nd function

Thread Size:

0.138 inches

Frequency Band Width Per Function:

2.00 gigahertz 2nd band pass and 4.00 gigahertz 2nd band pass

Discrimination At Specificationified Frequencies Per Function In Decibels:

60.0 1st band pass 1st function and 1.0 1st band pass 1st function and 1.0 1st band pass 1st function and 60.0 1st band pass 1st function

Voltage Standing Wave Ratio Frequency Limits Per Function:

1.0 composition b grade a two phase to two phase and 2.0 composition b grade a two phase to two phase

Style Designator:

Rectangular terminal/terminals on three surfaces

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A047b0