## NSN 5915-01-049-4173

Band Pass Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-01-049-4173

Overall Length:
2.370 inches
Overall Height:
1.970 inches
Body Length:
1.620 inches
Body Width:
2.130 inches
Body Height:
1.720 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:
1.000 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:
0.750 inches
Reference Frequency Per Function:
15.0 composition b grade a pulses per second
Source Impedance Rating Per Function:
50.0 ohms 2nd band pass
Load Impedance Per Function:
50.0 ohms 2nd band pass
Voltage Standing Wave Ratio Per Function:
2.0 2nd band pass
Mounting Facility Screw Thread Series Designator:
Unc
Inclosure Type:
Hermetically sealed
Mounting Facility Type And Quantity:
4 threaded hole
Insertion Loss At Reference Frequency Per Function In Decibels:
2.5 2nd band pass
Specified Frequencies Of Discrimination Per Function:
11.725 gigahertz 1st band pass 1st function and 11.992 gigahertz 1st band pass 1st function and 18.008 gigahertz 1st band pass 1st
function and 18.275 gigahertz 1st band pass 1st function
Thread Size:
0.138 inches
Frequency Band Width Per Function:
12.00 gigahertz 2nd band pass and 18.00 gigahertz 2nd band pass
Discrimination At Specificationified Frequencies Per Function In Decibels:

60.0 1st band pass 1st function and 1.0 1st band pass 1st function and 1.0 1st band pass 1st function and 60.0 1st band pass 1st function

**Voltage Standing Wave Ratio Frequency Limits Per Function:** 

12.0 composition b grade a two phase to two phase and 18.0 composition b grade a two phase to two phase

**Style Designator:** 

Rectangular terminal/terminals on three surfaces

## NSN 5915-01-049-4173

Band Pass Filter - Page 2 of 2



Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

Yes - demil/mli

Fiig:

A047b0