

View Online at <https://aerobasegroup.com/nsn/5915-01-055-2050>

Overall Length:

9.374 inches

Body Length:

8.250 inches

Body Width:

4.500 inches

Body Height:

2.620 inches

Unthreaded Mounting Hole Diameter:

0.200 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

7.000 inches

Vibration Resistance Range In Hertz:

+10.0/+55.0

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

5.312 inches

Operating Temperature Range:

-40.0/+71.0 degrees celsius

Source Impedance Rating Per Function:

50.0 ohms 2nd radio interference

Load Impedance Per Function:

50.0 ohms 2nd radio interference

Power Line Frequency Rating Per Function In Hertz:

400.0 2nd radio interference

Operating Current Rating Per Function In Amps:

7.0 2nd radio interference

Maximum Voltage Drop Per Function:

1.0 volts dc 2nd radio interference

Principal Circuitry Type Per Function:

Inductance-resistance 2nd radio interference

Mounting Facility Screw Thread Series Designator:

Unf

Inclosure Type:

Encased

Mounting Facility Type And Quantity:

6 unthreaded hole

Functional Terminal Type And Quantity:

2 threaded stud input 1st function

Operating Voltage Rating And Type Per Function:

130.0 volts ac 1st radio interference 1st function and 400.0 volts dc 1st radio interference 1st function

Thread Size:

0.190 inches

Body Material:

Metal

Maximum Dielectric Withstanding Dc Voltage:

800.0 volts at sea level

Special Features:

Filter is 6.000 in. W

Style Designator:

Rectangular terminal/terminals on opposite surfaces

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A047b0