

View Online at https://aerobasegroup.com/nsn/5915-01-057-8891

View Online at https://aerobasegroup.com/nsn/5915-01-057-8891
Overall Length:
8.750 inches
Overall Height:
2.000 inches
Overall Width:
6.500 inches
Body Length:
8.000 inches
Body Width:
6.500 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:
7.375 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:
5.875 inches
Power Line Frequency Rating Per Function In Hertz:
60.0 blank
Operating Current Rating Per Function In Amps:
4.1 blank
Maximum Voltage Drop Per Function:
1.15 volts ac blank
Mounting Facility Screw Thread Series Designator:
Mounting Facility Screw Thread Series Designator: Unf
Unf
Unf Inclosure Type:
Unf Inclosure Type: Encased
Unf Inclosure Type: Encased Mounting Facility Type And Quantity:
Unf Inclosure Type: Encased Mounting Facility Type And Quantity: 4 captive screws
Unf Inclosure Type: Encased Mounting Facility Type And Quantity: 4 captive screws Functional Terminal Type And Quantity:
Unf Inclosure Type: Encased Mounting Facility Type And Quantity: 4 captive screws Functional Terminal Type And Quantity: 3 tab w/screw output 2nd function
Unf Inclosure Type: Encased Mounting Facility Type And Quantity: 4 captive screws Functional Terminal Type And Quantity: 3 tab w/screw output 2nd function Operating Voltage Rating And Type Per Function:
Unf Inclosure Type: Encased Mounting Facility Type And Quantity: 4 captive screws Functional Terminal Type And Quantity: 3 tab w/screw output 2nd function Operating Voltage Rating And Type Per Function: 115.0 volts ac blank
Unf Inclosure Type: Encased Mounting Facility Type And Quantity: 4 captive screws Functional Terminal Type And Quantity: 3 tab w/screw output 2nd function Operating Voltage Rating And Type Per Function: 115.0 volts ac blank Thread Size:
Unf Inclosure Type: Encased Mounting Facility Type And Quantity: 4 captive screws Functional Terminal Type And Quantity: 3 tab w/screw output 2nd function Operating Voltage Rating And Type Per Function: 115.0 volts ac blank Thread Size: 0.250 inches Special Features: Case grounded
Unf Inclosure Type: Encased Mounting Facility Type And Quantity: 4 captive screws Functional Terminal Type And Quantity: 3 tab w/screw output 2nd function Operating Voltage Rating And Type Per Function: 115.0 volts ac blank Thread Size: 0.250 inches Special Features:
Unf Inclosure Type: Encased Mounting Facility Type And Quantity: 4 captive screws Functional Terminal Type And Quantity: 3 tab w/screw output 2nd function Operating Voltage Rating And Type Per Function: 115.0 volts ac blank Thread Size: 0.250 inches Special Features: Case grounded Style Designator: Rectangular terminal/terminals on adjacent surfaces
Unf Inclosure Type: Encased Mounting Facility Type And Quantity: 4 captive screws Functional Terminal Type And Quantity: 3 tab w/screw output 2nd function Operating Voltage Rating And Type Per Function: 115.0 volts ac blank Thread Size: 0.250 inches Special Features: Case grounded Style Designator:
Unf Inclosure Type: Encased Mounting Facility Type And Quantity: 4 captive screws Functional Terminal Type And Quantity: 3 tab w/screw output 2nd function Operating Voltage Rating And Type Per Function: 115.0 volts ac blank Thread Size: 0.250 inches Special Features: Case grounded Style Designator: Rectangular terminal/terminals on adjacent surfaces
Unf Inclosure Type: Encased Mounting Facility Type And Quantity: 4 captive screws Functional Terminal Type And Quantity: 3 tab w/screw output 2nd function Operating Voltage Rating And Type Per Function: 115.0 volts ac blank Thread Size: 0.250 inches Special Features: Case grounded Style Designator: Rectangular terminal/terminals on adjacent surfaces Shelf Life:
Unf Inclosure Type: Encased Mounting Facility Type And Quantity: 4 captive screws Functional Terminal Type And Quantity: 3 tab w/screw output 2nd function Operating Voltage Rating And Type Per Function: 115.0 volts ac blank Thread Size: 0.250 inches Special Features: Case grounded Style Designator: Rectangular terminal/terminals on adjacent surfaces Shelf Life: N/a

No

NSN 5915-01-057-8891

Radio Frequency Interference Filter - Page 2 of 2

Fiig: A047b0

