NSN 5915-01-062-4496

High Pass Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-01-062-4496

Overall Height:
3.240 inches
Body Length:
2.000 inches
Body Width:
1.750 inches
Body Height:
3.000 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:
1.500 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:
1.250 inches
Operating Tempurature Range:
+0.0/+70.0 degrees celsius
Reference Frequency Per Function:
13.0 kilohertz blank
Source Impedance Rating Per Function:
600.0 ohms blank
Load Impedance Per Function:
600.0 ohms blank
Mounting Facility Screw Thread Series Designator:
Unc
Inclosure Type:
Hermetically sealed
Mounting Facility Type And Quantity:
4 threaded hole
Insertion Loss At Reference Frequency Per Function In Decibels:
9.0 blank
Functional Terminal Type And Quantity:
6 standard tube base input-output/ground
Specified Frequencies Of Discrimination Per Function:
1.30 kilohertz blank and 2.50 kilohertz blank and 4.00 kilohertz blank and 15.00 kilohertz blank
Thread Size:
0.164 inches
Body Material:
Metal
Frequency Band Width Per Function:
4.00 kilohertz blank and 15.00 kilohertz blank
Discrimination At Specificationified Frequencies Per Function In Decibels:
75.0 blank and 35.0 blank and 6.0 blank and 0.5 blank

Style Designator:

Rectangular terminal/terminals on one surface

NSN 5915-01-062-4496

High Pass Filter - Page 2 of 2



_			•		
•	n	ο.	•	18	e:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A047b0