

View Online at <https://aerobasegroup.com/nsn/5915-01-067-1276>

**Overall Height:**

0.930 inches

**Body Length:**

0.930 inches

**Body Width:**

0.505 inches

**Body Height:**

0.770 inches

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:**

0.600 inches

**Vibration Resistance Range In Hertz:**

+10.0/+2000.0

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:**

0.100 inches

**Operating Temperature Range:**

-46.0/+85.0 degrees celsius

**End Application:**

Uwasp class lhd; osprey class mhc; radio set (an/mrc-138); nimitz class cvn' whidbey class lsd; airborne mobile dir air spt ctl (21d), (02m jul 83) (an/uyq-3a); radio set (a1815) (an/grc-193); forrestal class cv; supply class aoe

**Reference Frequency Per Function:**

75.0 megahertz blank

**Source Impedance Rating Per Function:**

50.0 ohms blank

**Load Impedance Per Function:**

50.0 ohms blank

**Inclosure Type:**

Encased

**Mounting Facility Type And Quantity:**

4 terminal

**Insertion Loss At Reference Frequency Per Function In Decibels:**

5.0 blank

**Functional Terminal Type And Quantity:**

2 pin ground 3rd function

**Specified Frequencies Of Discrimination Per Function:**

50.00 megahertz blank and 74.925 megahertz blank and 75.075 megahertz blank and 75.15 megahertz blank

**Body Material:**

Metal

**Frequency Band Width Per Function:**

74.925 megahertz blank and 75.075 megahertz blank

**Discrimination At Specificationified Frequencies Per Function In Decibels:**

50.0 blank and 3.0 blank and 3.0 blank and 50.0 blank

**Body Surface Treatment:**

Tin

**Criticality Code Justification:**

Feat

**Special Features:**

Weapon system essential

**Style Designator:**

Rectangular terminal/terminals on one surface

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fiig:**

A047b0