

View Online at <https://aerobasegroup.com/nsn/5915-01-067-1279>

Overall Length:

3.000 inches

Body Length:

2.240 inches

Body Width:

0.530 inches

Body Height:

0.940 inches

Unthreaded Mounting Hole Diameter:

0.140 inches

Vibration Resistance Range In Hertz:

+5.0/+55.0

Operating Temperature Range:

-55.0/+125.0 degrees celsius

Reference Frequency Per Function:

1.25 megahertz blank

Source Impedance Rating Per Function:

50.0 ohms blank

Load Impedance Per Function:

50.0 ohms blank

Input Impedance Per Function W/load:

50.0 ohms blank

Output Impedance Per Function W/source Across Input:

50.0 ohms blank

Voltage Standing Wave Ratio Per Function:

1.5 blank

Inclosure Type:

Encased

Mounting Facility Type And Quantity:

2 unthreaded hole

Insertion Loss At Reference Frequency Per Function In Decibels:

0.35 blank

Functional Terminal Type And Quantity:

1 connector, receptacle output 2nd function

Specified Frequencies Of Discrimination Per Function:

1.00 megahertz blank and 1.50 megahertz blank and 2.03 megahertz blank and 10.40 gigahertz blank

Body Material:

Metal

Frequency Band Width Per Function:

1.00 megahertz blank and 1.50 megahertz blank

Discrimination At Specificationified Frequencies Per Function In Decibels:

1.0 blank and 1.0 blank and 60.0 blank and 60.0 blank

Voltage Standing Wave Ratio Frequency Limits Per Function:

1.0 megahertz blank and 1.5 megahertz blank

Unpackaged Unit Weight:

1.400 ounces

Style Designator:

Rectangular terminal/terminals on opposite surfaces

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A047b0