

View Online at <https://aerobasegroup.com/nsn/5915-01-067-1279>

**Overall Length:**

3.000 inches

**Body Length:**

2.240 inches

**Body Width:**

0.530 inches

**Body Height:**

0.940 inches

**Unthreaded Mounting Hole Diameter:**

0.140 inches

**Vibration Resistance Range In Hertz:**

+5.0/+55.0

**Operating Temperature Range:**

-55.0/+125.0 degrees celsius

**Reference Frequency Per Function:**

1.25 megahertz blank

**Source Impedance Rating Per Function:**

50.0 ohms blank

**Load Impedance Per Function:**

50.0 ohms blank

**Input Impedance Per Function W/load:**

50.0 ohms blank

**Output Impedance Per Function W/source Across Input:**

50.0 ohms blank

**Voltage Standing Wave Ratio Per Function:**

1.5 blank

**Inclosure Type:**

Encased

**Mounting Facility Type And Quantity:**

2 unthreaded hole

**Insertion Loss At Reference Frequency Per Function In Decibels:**

0.35 blank

**Functional Terminal Type And Quantity:**

1 connector, receptacle output 2nd function

**Specified Frequencies Of Discrimination Per Function:**

1.00 megahertz blank and 1.50 megahertz blank and 2.03 megahertz blank and 10.40 gigahertz blank

**Body Material:**

Metal

**Frequency Band Width Per Function:**

1.00 megahertz blank and 1.50 megahertz blank

**Discrimination At Specificationified Frequencies Per Function In Decibels:**

1.0 blank and 1.0 blank and 60.0 blank and 60.0 blank

**Voltage Standing Wave Ratio Frequency Limits Per Function:**

1.0 megahertz blank and 1.5 megahertz blank

**Unpackaged Unit Weight:**

1.400 ounces

**Style Designator:**

Rectangular terminal/terminals on opposite surfaces

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A047b0