

View Online at <https://aerobasegroup.com/nsn/5915-01-067-3526>

**Overall Height:**

3.000 inches

**Body Length:**

1.630 inches

**Body Width:**

1.630 inches

**Body Height:**

2.500 inches

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:**

1.187 inches

**Vibration Resistance Range In Hertz:**

+10.0/+200.0

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:**

1.187 inches

**Operating Temperature Range:**

-0.0/+50.0 degrees celsius

**Reference Frequency Per Function:**

15.5 kilohertz blank

**Source Impedance Rating Per Function:**

10.0 kilohms blank

**Load Impedance Per Function:**

10.0 kilohms blank

**Mounting Facility Screw Thread Series Designator:**

Unc

**Inclosure Type:**

Hermetically sealed

**Mounting Facility Type And Quantity:**

4 threaded stud

**Insertion Loss At Reference Frequency Per Function In Decibels:**

8.0 blank

**Functional Terminal Type And Quantity:**

1 tab, solder lug input 2nd function

**Specified Frequencies Of Discrimination Per Function:**

15.35 kilohertz blank and 15.375 kilohertz blank and 15.625 kilohertz blank and 15.65 kilohertz blank

**Thread Size:**

0.138 inches

**Frequency Band Width Per Function:**

15.375 kilohertz blank and 15.625 kilohertz blank

**Discrimination At Specificationified Frequencies Per Function In Decibels:**

20.0 blank and 3.0 blank and 3.0 blank and 20.0 blank

**Body Surface Treatment:**

Tin

**Style Designator:**

Rectangular terminal/terminals on one surface

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A047b0