

View Online at <https://aerobasegroup.com/nsn/5915-01-067-3530>

Overall Height:

3.000 inches

Body Length:

1.630 inches

Body Width:

1.630 inches

Body Height:

2.500 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

1.187 inches

Vibration Resistance Range In Hertz:

+10.0/+200.0

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

1.187 inches

Operating Temperature Range:

-0.0/+50.0 degrees celsius

Reference Frequency Per Function:

17.0 kilohertz blank

Source Impedance Rating Per Function:

10.0 kilohms blank

Load Impedance Per Function:

10.0 kilohms blank

Mounting Facility Screw Thread Series Designator:

Unc

Inclosure Type:

Hermetically sealed

Mounting Facility Type And Quantity:

4 threaded stud

Insertion Loss At Reference Frequency Per Function In Decibels:

8.0 blank

Functional Terminal Type And Quantity:

1 tab, solder lug input 2nd function

Specified Frequencies Of Discrimination Per Function:

16.75 kilohertz blank and 16.875 kilohertz blank and 17.125 kilohertz blank and 17.250 kilohertz blank

Thread Size:

0.138 inches

Frequency Band Width Per Function:

16.875 kilohertz blank and 17.125 kilohertz blank

Discrimination At Specificationified Frequencies Per Function In Decibels:

20.0 blank and 3.0 blank and 3.0 blank and 20.0 blank

Body Surface Treatment:

Tin

Style Designator:

Rectangular terminal/terminals on one surface

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A047b0